







REVISION HISTORY			
REV	DESCRIPTION	Drawing	DATE
01	PROPOSAL	Allen	2020/09/04



RECOMMEND P.C.B LAYOUT  
(General tolerance ±0.05)




- NOTES:
- MATERIAL:
    - INSULATOR: HIGH TEMPERATURE THERMOPLASTIC, UL 94V-0
    - TERMINAL: COPPER ALLOY
    - SHELL: STAINLESS STEEL
    - SPRING: STAINLESS STEEL
    - SLIDER: HIGH TEMPERATURE THERMOPLASTIC, UL 94V-0
    - DRAWBAR: STAINLESS STEEL

- PLATING:
  - TERMINAL: PLATED 80u" Min. Ni OVERALL  
PLATED G/F SELECTIVE CONTACT AREA  
PLATED G/F SELECTIVE SOLDER AREA.
  - SHELL : PLATED G/F OVERLL 50u" Min. Ni.

PIN NO.	PIN ASSIGNMENT
P1	DAT2
P2	CD/DAT3
P3	CMD
P4	VDD
P5	CLK
P6	VSS
P7	DAT0
P8	DAT1

FIH P/N	TABLE A GOLD PLATING THICKNESS
A0842-0003	Au 30u"
A0842-0001	G/F

PRODUCT SPECIFICATION: DOC.No: SP-AXXXX-XX	SCALE 1 : 1	DESIGN UNITS mm
TEST REPORT DOC.No: TR-AXXXX-XX	DRAWN Allen	DATE 2020/09/04
GENERAL TOLERANCES (UNLESS SPECIFIED)	CHECKED	DATE
X.XXX ± 0.10	APPROVED	DATE
X.XX ± 0.25		
X.X ± 0.35		
ANGULAR ± 3°	DWG NO. SA0842-001	
THIRD ANGLE PROJECTION		



**CHT** 群匯科技股份有限公司  
CHIUN HUEI Technology CO., LTD.

TITLE  
Micro SD PUSH-TYPE, H1.28

PART NO. TABLE A	DWG REV. 01	SHEET NO. 1 OF 1
---------------------	----------------	---------------------